

**AMENDMENTS TO THE CLAIMS**

**This listing of claims will replace all prior versions and listings of claims in the application:**

**LISTING OF CLAIMS:**

1. (currently amended): An interlayer film for a laminated glass,  
which contains a matrix resin, a liquid plasticizer, acetyl acetone, alkali metal and at least one kind of metal selected from the group consisting of magnesium and alkaline earth metal, the content of the alkali metal being 20 to 120 ppm, the content of at least one kind of metal selected from the group consisting of magnesium and alkaline earth metal being 15 ppm or more and less than 60 ppm, and the content of the acetyl acetone being 0.008 parts by weight or more and less than 0.06 parts by weight with respect to 100 parts by weight of the matrix resin.

2. (original): The interlayer film for a laminated glass according to Claim 1,  
wherein at least one kind of metal selected from the group consisting of magnesium and alkaline earth metal is magnesium.

3 - 4. (canceled).

5. (new): The interlayer film for a laminated glass according to Claim 1,  
wherein magnesium is added as magnesium hexanoate, magnesium heptanoate,  
magnesium octanoate, or magnesium nonanoate.

6. (new): The interlayer film for a laminated glass according to Claim 1,  
wherein the alkali metal is added as potassium hexanoate, potassium heptanoate,  
potassium octanoate, or potassium nonanoate.

7. (new): A laminated glass,  
which has the interlayer film for a laminated glass according to Claim 1 and two glass  
plates supporting the interlayer film for a laminated glass by sandwiching, and has a metal  
coating layer in at least one interface of two interfaces between the interlayer film for a  
laminated glass and the glass plates.

8. (new): A laminated glass,  
which has the interlayer film for a laminated glass according to Claim 2 and two glass  
plates supporting the interlayer film for a laminated glass by sandwiching, and has a metal  
coating layer in at least one interface of two interfaces between the interlayer film for a  
laminated glass and the glass plates.

9. (new): A laminated glass,  
which has the interlayer film for a laminated glass according to Claim 5 and two glass  
plates supporting the interlayer film for a laminated glass by sandwiching, and has a metal  
coating layer in at least one interface of two interfaces between the interlayer film for a  
laminated glass and the glass plates.

10. (new): A laminated glass,  
which has the interlayer film for a laminated glass according to Claim 6 and two glass  
plates supporting the interlayer film for a laminated glass by sandwiching, and has a metal  
coating layer in at least one interface of two interfaces between the interlayer film for a  
laminated glass and the glass plates.